

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	("6345239" "6330550" "5960411" "6459427" "6385693" "6385647" "6131163" "5898838" "5870562").pn.	US-PGPUB; USPAT	OR	OFF	2006/08/17 13:53
S2	10	("6345239" "6330550" "5960411" "6459427" "6385693" "6385647" "6131163" "6128653" "5898838" "5870562").pn.	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:02
S3	1495	725/110,114,131,138,139,144,151.ccls. and @ay<"2002"	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:02
S4	81	725/110,114,131,138,139,144,151.ccls. and @ay<"2002" and (gateway\$1) with (headend\$1 (head adj end\$1) server)	US-PGPUB; USPAT	OR	OFF	2006/08/17 15:10
S5	10	725/110,114,131,138,139,144,151.ccls. and @ay<"2002" and (gateway\$1) same (headend\$1 (head adj end\$1) server) same (convert\$4 transcod\$4) same (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 15:47
S6	13	725/110,114,131,138,139,144,151.ccls. and @ay<"2002" and (gateway\$1) same (convert\$4 transcod\$4) same (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 15:16
S7	159	709/203,217-219.ccls. and @ay<"2002" and (gateway\$1) same (convert\$4 transcod\$4) same (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 15:16
S8	105	709/203,217-219.ccls. and @ay<"2002" and (gateway\$1) same (headend\$1 (head adj end\$1) server) same (convert\$4 transcod\$4) same (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 15:17
S9	26	"725"/\$.ccls. and @ay<"2002" and (gateway\$1) same (headend\$1 (head adj end\$1) server) same (convert\$4 transcod\$4) same (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:03
S10	5	"725"/\$.ccls. and @ay<"2002" and (DATP\$1 DAP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:07
S11	16346	@ay<"2002" and (DATP\$1 DAP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:05
S12	16346	"709"/\$.ccls. @ay<"2002" and (DATP\$1 DAP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:05
S13	63291	"709"/\$.ccls. @ay<"2002" and (DATP\$1 DAP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:05

EAST Search History

S14	121	"709"/\$.cccls. and @ay<"2002" and (DATP\$1 DAP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:06
S15	25	"348"/\$.cccls. and @ay<"2002" and (DATP\$1 DAP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:06
S16	6	"709"/\$.cccls. and @ay<"2002" and (DATP\$1 DAP\$1) same (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:07
S17	589	"725"/\$.cccls. and @ay<"2002" and (LHTTP\$1 HTTP\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:18
S18	363	"725"/\$.cccls. and @ay<"2002" and (LHTTP\$1 HTTP\$1) and (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:08
S19	38	"725"/\$.cccls. and @ay<"2002" and (LHTTP\$1 HTTP\$1) same (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 10:52
S20	120	"725"/\$.cccls. and @ay<"2002" and (gateway\$1) same (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/17 16:19
S21	89	"725"/\$.cccls. and @ay<"2002" and (gateway\$1) with (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 09:12
S22	0	("7017175").URPN.	USPAT	OR	OFF	2006/08/21 09:25
S23	9	("5668810" "5727159" "5848070" "5848352" "5987518" "6192082" "6263437" "6397259" "6659860").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/21 09:25
S24	9	"725"/\$.cccls. and @ay<"2002" and (gateway\$1) with (convert\$4 transcod\$4) with (internet\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 09:12
S25	3	"725"/\$.cccls. and @ay<"2002" and (LHTTP\$1 same HTTP\$1) same (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:08
S26	3	@ay<"2002" and (LHTTP\$1 same HTTP\$1) same (convert\$4 transcod\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 10:52
S27	0	"725"/\$.cccls. and @ay<"2002" and (asymetric\$4) with (data) with (rout\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:09
S28	14	"725"/\$.cccls. and @ay<"2002" and (asymmetric\$4) with (data) with (rout\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:18
S29	4	"725"/\$.cccls. and @ay<"2002" and (offline) with (payment\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:33
S30	67	"705"/\$.cccls. and @ay<"2002" and (offline) with (payment\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:28

EAST Search History

S31	5	"725"/\$.ccls. and @ay<"2002" and (offline) same (payment\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:30
S32	4	"725"/\$.ccls. and @ay<"2002" and (offline) with (order\$1) with (form\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:34
S33	5	"725"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) with (order\$1) with (form\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:35
S34	3	"725"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) with (cart\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:36
S35	3	"725"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) same (cart\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:59
S36	52	"705"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) same (cart\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:36
S37	11	"705"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) with (cart\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:53
S38	11	"725"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) same (payment\$1 pay\$4 paid\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:55
S39	461	"705"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) same (payment\$1 pay\$4 paid\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:55
S40	264	"705"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) with (payment\$1 pay\$4 paid\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:55
S41	165	"705"/\$.ccls. and @ay<"2002" and (offline\$1 (off adj line\$1)) near4 (payment\$1 pay\$4 paid\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:55
S42	118	"705"/\$.ccls. and @ay<"2001" and (offline\$1 (off adj line\$1)) near4 (payment\$1 pay\$4 paid\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 11:55
S43	620	"725"/\$.ccls. and @ay<"2002" and (stor\$4) with (forward\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 12:00
S44	3	"725"/\$.ccls. and @ay<"2002" and (stor\$4) with (forward\$4) with (tim\$4) with (constraint\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 12:01
S45	23	"725"/\$.ccls. and @ay<"2002" and (deliver\$4 forward\$4 send\$4) with (tim\$4) with (constraint\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 12:05
S46	5	"725"/\$.ccls. and @ay<"2002" and (download\$4) with (tim\$4) with (constraint\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:00

EAST Search History

S47	683	"725"/\$.ccls. and @ay<"2002" and (download\$4) with (tim\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:00
S48	6	"725"/\$.ccls. and @ay<"2002" and (download\$4) with (tim\$4) with (option)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:00
S49	25	"725"/\$.ccls. and @ay<"2002" and (download\$4) with (tim\$4) with (option\$1 alternativ\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:07
S50	1	"725"/\$.ccls. and @ay<"2002" and (download\$4) with (tim\$4) with (restriction\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:07
S51	5	"725"/\$.ccls. and @ay<"2002" and (download\$4) with (tim\$4) with (restrict\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:42
S52	71	@ay<"2002" and (download\$4) with (tim\$4) with (restrict\$4 contraint\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:09
S53	10	"725"/\$.ccls. and @ay<"2002" and (download\$4 deliver\$4 send\$4) with (tim\$4) with (restrict\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:18
S54	1	"725"/\$.ccls. and @ay<"2002" and (server\$1 headend\$1 (head adj end\$1)) with (check\$4) with (sufficient\$4) with (memory\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:20
S55	2	"725"/\$.ccls. and @ay<"2002" and (server\$1 headend\$1 (head adj end\$1)) same (check\$4) same (sufficient\$4) same (memory\$1) same (client\$1 STB\$1 terminal\$1 (set adj top adj box\$2))	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:33
S56	5	"725"/\$.ccls. and @ay<"2002" and (check\$4) same (sufficient\$4) same (memory\$1) same (client\$1 STB\$1 terminal\$1 (set adj top adj box\$2))	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:28
S57	37	"725"/\$.ccls. and @ay<"2002" and (check\$4) same (availab\$4 sufficient\$4) same (memory\$1) same (client\$1 STB\$1 terminal\$1 (set adj top adj box\$2))	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:33
S58	128	"725"/\$.ccls. and @ay<"2002" and (request\$4) same (availab\$4 sufficient\$4) same (memory\$1) same (receiver\$1 client\$1 STB\$1 terminal\$1 (set adj top adj box\$2))	US-PGPUB; USPAT	OR	OFF	2006/08/22 14:34
S59	19	"725"/\$.ccls. and @ay<"2002" and (request\$4) with (availab\$4 sufficient\$4) with (memory\$1) with (receiver\$1 client\$1 STB\$1 terminal\$1 (set adj top adj box\$2))	US-PGPUB; USPAT	OR	OFF	2006/08/22 15:43

EAST Search History

S60	762	"725"/\$.ccls. and @ay<"2002" and (sequenc\$4) with (number\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 15:44
S61	3	"725"/\$.ccls. and @ay<"2002" and (sequenc\$4) with (number\$1) with (reject\$4) with (window\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 15:44
S62	6	"725"/\$.ccls. and @ay<"2002" and (sequenc\$4) with (number\$1) with (reject\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 15:45
S63	0	"725"/\$.ccls. and @ay<"2002" and (sequenc\$4) with (number\$1) with (reject\$4) with (duplica\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 15:46
S64	0	"725"/\$.ccls. and @ay<"2002" and (sequenc\$4) with (number\$1) same (reject\$4) same (duplica\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/23 09:39
S65	10	"725"/\$.ccls. and @ay<"2002" and (sequenc\$4) with (number\$1) same (reject\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 16:29
S66	807	@ay<"2002" and (sequenc\$4) with (number\$1) same (reject\$4)	US-PGPUB; USPAT	OR	OFF	2006/08/22 15:48
S67	21	@ay<"2002" and (sequenc\$4) with (number\$1) same (reject\$4) same (time\$1) same (window\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/22 16:29
S68	143	"725"/\$.ccls. and @ay<"2002" and (multiple\$1) with (user\$1 viewer\$1) with (STB\$1 terminal\$1 (set adj top adj box\$2))	US-PGPUB; USPAT	OR	OFF	2006/08/22 16:30
S69	8	"725"/\$.ccls. and @ay<"2002" and (agent\$1) with (control\$4 limit\$4) with (acces\$1) with (user\$1 viewer\$1 subscriber\$1) with (information\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/24 09:48
S70	15	"725"/\$.ccls. and @ay<"2002" and (agent\$1) same (control\$4 limit\$4) same (acces\$1) same (user\$1 viewer\$1 subscriber\$1) with (information\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 09:50
S71	98	"725"/\$.ccls. and @ay<"2002" and (protect\$4 hid\$4 confind\$4) with (user\$1 viewer\$1 subscriber\$1) with (information\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:05
S72	2	"725"/\$.ccls. and @ay<"2002" and (priva\$4) with (user\$1 viewer\$1 subscriber\$1) with (information\$1) with (rule\$1 agreement\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:04

EAST Search History

S73	3	"725"/\$.ccls. and @ay<"2002" and (protect\$4 hid\$4 confind\$4 priva\$4) with (user\$1 viewer\$1 subscriber\$1) with (information\$1) with (rule\$1 agreement\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:06
S74	23	"725"/\$.ccls. and @ay<"2002" and (protect\$4 hid\$4 confind\$4 priva\$4) same (user\$1 viewer\$1 subscriber\$1) same (information\$1) same (rule\$1 agreement\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:06
S75	858	"725"/\$.ccls. and @ay<"2002" and (download\$4) same ('as soon as possible')	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:43
S76	0	"725"/\$.ccls. and @ay<"2002" and (download\$4) same ("as soon as possible")	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:43
S77	0	"725"/\$.ccls. and @ay<"2002" and (download\$4) same ("as soon as possible" "when connected" "after a random period of tim")	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:44
S78	43	"725"/\$.ccls. and @ay<"2002" and (download\$4) same (random\$1) same (time)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:47
S79	158	"725"/\$.ccls. and @ay<"2002" and (download\$4 deliver\$4 send\$4) same (random\$1) same (time)	US-PGPUB; USPAT	OR	OFF	2006/08/23 10:47
S80	19	"725"/\$.ccls. and @ay<"2002" and (download\$4 deliver\$4 send\$4) with (random\$1) with (time)	US-PGPUB; USPAT	OR	OFF	2006/08/23 11:23
S81	98	"725"/\$.ccls. and @ay<"2002" and (download\$4 deliver\$4 send\$4) with (contraint\$1 limit\$1 defin\$4) with (time)	US-PGPUB; USPAT	OR	OFF	2006/08/23 11:32
S82	1	"725"/\$.ccls. and @ay<"2002" and (download\$4 deliver\$4 send\$4) with (time) with (peak\$1) with (load\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 11:33
S83	19	"725"/\$.ccls. and @ay<"2002" and (download\$4 deliver\$4 send\$4) same (time) same (peak\$1) same (load\$1)	US-PGPUB; USPAT	OR	OFF	2006/08/23 11:33
S84	14	"725"/\$.ccls. and @ay<"2002" and (send\$1 deliver\$4 transmit\$4) with (request\$1 message\$1) with (service\$1 provider\$1) with (later\$1 delay\$1 schedul\$4) with time\$1	US-PGPUB; USPAT	OR	OFF	2006/08/24 09:53

EAST Search History

S85	158	"725"/\$.ccls. and @ay<"2002" and (send\$1 deliver\$4 transmit\$4) same (request\$1 message\$1) same (service\$1 provider\$1) same (later\$1 delay\$1 schedul\$4) same time\$1	US-PGPUB; USPAT	OR	OFF	2006/08/24 10:01
S86	319	"725"/\$.ccls. and @ay<"2002" and (request\$1 message\$1) same (service\$1 provider\$1) same (later\$1 delay\$1 schedul\$4) same time\$1	US-PGPUB; USPAT	OR	OFF	2006/08/24 10:01
S87	89	"725"/\$.ccls. and @ay<"2002" and (request\$1 message\$1) with (service\$1 provider\$1) with (later\$1 delay\$1 schedul\$4) with time\$1	US-PGPUB; USPAT	OR	OFF	2006/08/24 10:01
S88	228	"725"/\$.ccls. and @ay<"2002" and (convert\$6) with (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:34
S89	165	"725"/\$.ccls. and @ay<"2001" and (convert\$6) with (protocol\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:34
S90	8	"725"/\$.ccls. and @ay<"2001" and (convert\$6) with (protocol\$1) same (STB\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:36
S91	13	"725"/\$.ccls. and @ay<"2002" and (convert\$6) with (protocol\$1) same (STB\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:00
S92	44	"725"/\$.ccls. and @ay<"2002" and (convert\$6) with (protocol\$1) with (multipl\$5 plural\$5)	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:50
S93	12	"725"/\$.ccls. and @ay<"2002" and (convert\$6) with (protocol\$1) with (PPP, ethernet\$1, DSL\$1)	US-PGPUB; USPAT	OR	OFF	2007/01/11 15:50
S94	16	"725"/\$.ccls. and @ay<"2002" and (convert\$6) with (protocol\$1) same (STB\$1 (set adj top adj box\$4))	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:54
S95	24	"725"/\$.ccls. and @ay<"2002" and (convert\$6) with (protocol\$1) with (different\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/11 16:54